

SCHEDULE OF FINISHES										
DESCRIPTION		FLOOR		WALLS		SKIRTING	SLOPING ROOF	SURFACE TREATMENTS		DOOR/ WINDOW/ VENT
				INT	EXT		NON ACCESSIBLE	WALLS & COL		
		SUBBASE: 100 MM THICK CC 1:4:8 AS PER SPECIFICATIONS.	50 MM THICK CC 1:2:4 FLOORING AS PER SPECIFICATIONS.	12.5 mm TH GYPSUM BOARD OVER 8 mm THICK FIBRE CEMENT BOARD ON SMART STEEL ZINC COATED FRAME . STEEL THICKNESS 0.75 mm TO 0.9mm & min. 50mm THICK ROCK BOARD INSULATION	7.5 mm THICK SIDING BOARD OVR 9mm THICK HIGH DENSITY FIBRE CEMENT BOARD ON SMART STEEL ZINC COATED FRAME WITH STEEL THICKNESS 0.75mm TO 0.9mm & MIN. 50mm THICK ROCK BOARD INSULATION	18 MM THICK CC SKIRTING 100 MM HEIGHT.	COLOUR COATED CORRUGATED GALVALUME 0.5MM THICK SHEETING	INTERNALLY ABOVE SKITING ON PLASTERED SURFACE (3 COATS OF WHITE WASH)	EXTERNALLY ABOVE GROUND LEVEL (3 COATS OF CEMENT PAINT)	DOORS/WINDOWS INTERNALLY/EXTERNALLY TREATED WITH 2 COATS OF SYNTHETIC ENAMEL PAINT OVER A COAT OF PRIMER.
		1	2	3	4	5	6	7	8	9
CFC										
1	ROOM-1									
2	ROOM-2									
3	ENTRANCE STEPS									

REVISONS:	
CLIENT NAME & ADDRESS: INDIAN INSTITUTE OF ENTERPRENUERSHIP	
PMC	HINDUSTAN PREFAB LIMITED
CONSULTANTS NAME & ADDRESS BUILDCON SOLUTIONS L-11,SARITA VIHAR, NEW DELHI-110076 TELE FAX :- 011-40506870 EMAIL:-buildconsolutions@gmail.com	
ARCHTECT:	SHEET NO-
BUILDING NAME: CFC SFURTI CLUSTER IN ASSAM	
DRAWING TITLE: SCHEDULE OF FINISHES	
DEALT: PRASHANT	CHECKED:
SCALE:	DATE:15.02.2016
DRAWING NO: 203	