

SCHEDULE OF FINISHES										
DESCRIPTION		FLOOR		WALLS		SKIRTING	SLOPING ROOF	SURFACE TREATMENTS		DOOR/ WINDOW/ VENT
				INT	EXT		NON ACCESSIBLE	WALLS & COL		
				SUBBASE: 100 MM THICK CC 1:4:8 AS PER SPECIFICATIONS.	50 MM THICK CC 1:2:4 FLOORING AS PER SPECIFICATIONS.	12.5 mm TH GYPSUM BOARD OVER 8 mm THICK FIBRE CEMENT BOARD ON SMART STEEL ZINC COATED FRAME . STEEL THICKNESS 0.75 mm TO 0.9mm & min. 50mm THICK ROCK BOARD INSULATION	7.5 mm THICK SIDING BOARD OVR 9mm THICK HIGH DENSITY FIBRE CEMENT BOARD ON SMART STEEL ZINC COATED FRAME WITH STEEL THICKNESS 0.75mm TO 0.9mm & MIN. 50mm THICK ROCK BOARD INSULATION	18 MM THICK CC SKIRTING 100 MM HEIGHT.	COLOUR COATED CORRUGATED GALVALUME 0.5MM THICK SHEETING	INTERNALLY ABOVE SKITING ON PLASTERED SURFACE (3 COATS OF WHITE WASH)
		1	2	3	4	5	6	7	8	9
CFC										
1	ROOM-1									
2	ENTRANCE STEPS									

REVISIONS:	
CLIENT NAME & ADDRESS: <b>INDIAN INSTITUTE OF ENTERPRENUERSHIP</b>	
PMC <b>HINDUSTAN PREFAB LIMITED</b>	
CONSULTANTS NAME & ADDRESS <b>BUILDICON SOLUTIONS</b> L-11 SARITA VIHAR, NEW DELHI-110076 TELE FAX :- 011-40506870 EMAIL:-buildiconsolutions@gmail.com	
ARCHITECT:	SHEET NO.
BUILDING NAME:  <b>CFC IN MAJULI (ASSAM)</b>	
DRAWING TITLE: <b>SCHEDULE OF FINISHES</b>	
DEALT: PRASHANT	CHECKED:
SCALE:	DATE: 30.6.2017
DRAWING NO: 203	